


Hcg International Limited -Price list- --Solar Charger--


Model	Price(RMB)	Picture & Specification	Feature	Packing
HQ_bd8027	10-100pcs:11.47 usd/pc 100-500pcs: 10.06 usd/pc 500-1000pcs: 9.18 usd/pc 1000-5000pcs: 8.47 usd/pc	 <p>SIZE:12.5*81*24mm WEIGHT: 216g</p>	<p>This product is a high-power & high-capacity multi-function solar emergency charger,with built-in high-capacity lithium-polymer rechargeable batteries,the power of solar panels is up to 0.8w.it can be recharged anywhere and anytime for your mobile phones,digital cameras,PDA,MP3,MP4 and other digital products.its luxury appearance,small and compact design, output voltage, that is 3.7V, 4.2V, 5.5V and 9V carry ,show your elegance and fashion.</p>	<p>CE/ROHS</p>
HQ_07 (750mAh)	10-100pcs:12. 88 usd/pc 100-500pcs: 12.35 usd/pc 500-1000pcs: 12.00 usd/pc 1000-5000pcs: 11.47 usd/pc		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA,</p>	<p>Packing: Color box Carton size: 39*63*51.5cm/ 360pcs G/N weight: 17KG/15KG CE/FCCC/ROHS</p>

HCG International Limited Address: 6/F,Block A, Wenjin Plaza, WenJinBei Rd., Luohu Dist, Shenzhen, China
<http://www.hc-gifts.com> E-mail: hcgltd@126.com MSN: hcglimited@live SKYPE: HcgLimited


Hcg International Limited -Price list- --Solar Charger--

			<p>MP4, MP3, radios, portable CD&DVD, and digital camera.</p> <p>Rate solar power: 0.8W Output voltage: 5.5V Battery capacity: 750mAh Output current: 0.18A (max.) Size & Weight: 105*53*18mm, 92g</p>	
HQ_11 (1000m Ah)	<p>10-100pcs:11.47 usd/pc 100-500pcs: 8.82 usd/pc 500-1000pcs: 9.18 usd/pc 1000-5000pcs: 8.47 usd/pc</p>	 <p>Specification: 110*65*23mm G.W.:220g N.W.: 180g</p>	<p>Under sunlight, it can make use of the solar panel by transforming solar energy into electricity being saved in the rechargeable NiMH battery inside the device. Thus the battery can supply power to cell phone, radio & flashlight for operation.</p> <p>With FM radio player, white LED flashlight, a set of earphone, a connect cable and five adapters.</p>	<p>Packing : Color box Carton size: 46*33*25.5(cm)</p> <p>Quantity: 30pcs/carton</p> <p>G/N weight: 9.0/7.7 (kg) (CE)</p>
HQ_21 (2000mAh)	<p>10-100pcs:22.06 usd/pc 100-500pcs: 21.18 usd/pc 500-1000pcs: 20.82 usd/pc 1000-5000pcs: 19.94 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile</p>	<p>Packing: Color box Carton size: 39*63*51.5cm/ 20pcs</p> <p>G/N weight: 14KG/15KG CE/FCCC/ROHS</p>



Hcg International Limited -Price list- --Solar Charger--

			<p>phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera. Rate solar power: 3W Output voltage: 4.5V/5.4V/6.3V/9V(can be adjusted, 2 USB outlet) Battery capacity: 2000mAh Output current: 1A (max.) Size & Weight: 125*81*24mm, 216g</p>	<p>CE/FCCC/ROHS</p>
<p>HQ_23 (1000mAh)</p>	<p>10-100pcs:10.06 usd/pc 100-500pcs: 9.18 usd/pc 500-1000pcs: 8.47 usd/pc 1000-5000pcs: 8.29 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera. Power : Rate solar power: 0.6W Output voltage: 5.4V (DC and USB outlet) Battery capacity: 1000mAh Output current: 0.2A (max.) Size & Weight: 12.5*81*24mm, 170g</p>	<p>Packing: Color box Carton size: 39*63*51.5cm/ 20pcs G/N weight: 14KG/15KG CE/FCCC/ROHS</p>



Hcg International Limited -Price list- --Solar Charger--

<p>HQ_24 Capacity:6 50mAh</p>	<p>10-100pcs:10.06 usd/pc 100-500pcs:9.18 usd/pc 500-1000pcs:8.47 usd/pc 1000-5000pcs:8.29 usd/pc</p>	 <p>Specification: 99*53*22mm, 80g</p>	<p>Directly charging the mobile telephone under sunlight</p> <p>Built in lithium battery (650mAH), it can be charged both by sunlight and AC current, it can store the energy under sunlight if no mobile phone is being charged,</p> <p>Solar charger can work as a battery for use at emergency if no sunlight is available, it can support your mobile phone 20-40min. of talking time depending on models of your mobile phone.</p> <p>Output of Li-battery: 5.4V/250mA Charging time (to mobile phone): 2-3 hours</p> <p>Charging time (by AC adaptor): 4-6hours; Charging time (by sunlight): 5-6 hours</p> <p>With AC charger, car charger, a connect cable and 4 connetors.</p>	<p>Packing: color box Carton size: 39*36*52CM Quantity: 36pcs/carton G/N. weight: 14/12kg (CE) CE/FCCC/ROHS</p>
<p>HQ_29 1000mAh</p>	<p>10-100pcs:10.06 usd/pc 100-500pcs:9.18 usd/pc 500-1000pcs:8.47 usd/pc 1000-5000pcs:8.29 usd/pc</p>		<ol style="list-style-type: none"> Under sunlight, it can make use of the solar panel, instead of AC adaptor, to transform solar energy into electricity. Then you can charge for your mobile phone, digital camera, MP3, MP4, etc, any time anywhere. Built-in Li-battery, high-effect solar panel. It can also be charged by AC adaptor for emergency use. Many mobile adaptors available. 	<p>Packing: color box Carton size: 39*36*52CM Quantity: 36pcs/carton G/N. weight: 11KG/10.2KG</p>



Hcg International Limited -Price list- --Solar Charger--

		 <p>Specification: 95*55*18mm,301g</p>	<p>3. Seven-colored light flashes while charging. Charge quickly. After being exposed to the sun for 3 minutes, it can charge for your phone. It can charge for the phone at the same time when it is under the sunshine.</p> <p>Accessories: an AC adaptor, four connectors, a connector cable.</p> <p>Output of solar charger: 6V/120MA/0.6W, Output of Li-battery: 4.2V-5.5V/360mA Charging time (to mobile phone): 2-3 hours Charging time (by AC adaptor): 1-2 hours; Charging time (by sunlight): 5-6 hours</p> <p>Available colors: metallic silver, pearl white, light vermeil, peacock blue</p>	<p>(CE)ROHS</p>
<p>HQ_31A Capacity:1000mAh</p>	<p>10-100pcs:15.00 usd/pc 100-500pcs:14.12 usd/pc 500-1000pcs:13.24 usd/pc 1000-5000pcs:12.00 usd/pc</p>		<ol style="list-style-type: none"> Under sunlight, it can make use of the solar panel, instead of AC adaptor, to transform solar energy into electricity. Then you can charge for your mobile phone, digital camera, MP3, MP4, etc, any time anywhere. It is a good companion of evction workers, outdoor sporters, travelers, etc. Built-in Li-battery, high-effect solar panel. It can also be charged by AC adaptor for emergency use. After being exposed to the sun for 3 minutes, it can charge for your phone. It can charge for the phone at the same time when it is under the sunshine. Radio function Extra-thin. Small and exquisite. Portable. New design. Beautiful packing. Accessories: an AC adaptor, , four 	<p>Packing: color box Carton size: 39*36*52CM Quantity: 36pcs/carton G/N. weight: 12/11.2kg (CE)</p>



Hcg International Limited -Price list- --Solar Charger--

			adaptors, a connector cable, one leather bag Available colors: metallic silver, pearl white, light vermeil, black	
HQ101 (1350mAh)	10-100pcs:6.18 usd/pc 100-500pcs:5.29 usd/pc 500-1000pcs:5.12 usd/pc 1000-5000pcs:4.94 usd/pc	 Specification: 95* 43* 12 mm	1、 High solar energy convert efficiency: over than 15% 2、 Solar energy board: 5.5V/80mA 3、 High capacity build in battery: 1350mAH 4、 Output voltage: 5.5V 5、 Output current: 350-800mA 6、Charging time: about 2-3hors(the time is a little different for different mobile phone) 7、 To charge the build in battery in the charger using solar energy: 10-15hours 8、 To charge the build in battery in the charger using computer or AC adapter:5hours	Packing: Color box: 165*115*50mm Caton size: 61X45X38Cm/100PCS G./N.W: 31.5kg/32.5kg CE/FCCC/R OHS
1000MAH	10-100pcs:4.41 usd/pc 100-500pcs:4.24 usd/pc 500-1000pcs:4.15 usd/pc 1000-5000pcs:4.06 usd/pc			

Hcg International Limited -Price list- --Solar Charger--

<p>HQ_9005 Capacity:2 850mAh</p>	<p>10-100pcs:40.59 usd/pc 100-500pcs:34.94 usd/pc 500-1000pcs:32.65 usd/pc 1000-5000pcs:28.24 usd/pc</p>	 <p>Specification: 137*79*24mm, 240g</p>	<p>It can charge up all kinds of handsets or USB interface digital products under sunshine directly, and also can charge up the devices mentioned above without sunshine through releasing electric energy stored in it. It is convenient for you to take with when you are out on business, on travel, on a long-distance bus or ship, in the fieldwork, etc. It is a portable, environmental-friendly, light-weight, flexible, durable and versatile charging product.</p> <p>Characteristics: Peak power supplied by photocell: 1.54W Operating voltage: 5.5V (max) Charging current: 280mA (max) Battery capacity: 2800mAh Output voltage: 4.5V-9V (adjustable) Output current: 1A (max) Charging time: 8-10 hours (illuminating scope: 100mW /Cm2) 3-4 hours (indoor power: 5V /500mA) Discharging time: 2.5 hours (the output: 5V /500mA)</p>	<p>Packing : Color box 25*15.5*6.5cm</p> <p>Carton size 63.9*24.5*34.3cm</p> <p>Quantity: 20pcs/carton</p> <p>G.W.: 16.5kg (CE/FCC/ROSH)</p>
<p>HQ_45 Capacity:1 850mAh</p>	<p>10-100pcs:19.41 usd/pc 100-500pcs:17.29 usd/pc 500-1000pcs:15.00 usd/pc 1000-5000pcs:14.29 usd/pc</p>		<ol style="list-style-type: none"> 1、 High solar energy convert efficiency: over than 15% 2、 Solar energy board: 5.5V/185mA 3、 High capacity build in battery: 1850mAH 4、 Output voltage: 5.5V 5、 Output current: 350-800mA 6、 Charging time: about 2-3hors(the time is a little different for different mobile phone) 7、 To charge the build in battery in the charger using solar energy: 10-15hours 8、 To charge the build in battery in the charger using computer or AC 	


Hcg International Limited -Price list- --Solar Charger--

			adapter:5hours	
HQ_45(2600MAH)	<p>10-100pcs:12.00 usd/pc</p> <p>100-500pcs:11.47 usd/pc</p> <p>500-1000pcs:11.12 usd/pc</p> <p>1000-5000pcs:10.06 usd/pc</p>		<p>1、 High solar energy convert efficiency: over than 15%</p> <p>2、 Solar energy board: 5.5V/185mA</p> <p>3、 High capacity build in battery: 2600mAH</p> <p>4、 Output voltage: 5.5V</p> <p>5、 Output current: 350-800mA</p> <p>6、 Charging time: about 2-3hors(the time is a little different for different mobile phone)</p> <p>7、 To charge the build in battery in the charger using solar energy: 10-15hours</p> <p>8、 To charge the build in battery in the charger using computer or AC adapter:5hours</p>	
HQ_M4	<p>10-100pcs:25.59 usd/pc</p> <p>100-500pcs:20.82 usd/pc</p> <p>500-1000pcs:20.29 usd/pc</p> <p>1000-5000pcs:19.94 usd/pc</p>	 <p style="text-align: right;">180</p>	<p>High solar energy convert efficiency: over than 15%</p> <p>Solar panel: polycrystalline silicon</p> <p>Power: 2Watts</p> <p>Output voltage: 5.5V</p> <p>Output current: 360mA</p> <p>Charging time: about 4 hours depends on moblie phone</p> <p>open size: 260*123mm</p> <p>fold size: 143*123*20 mm</p>	<p>Package Size 18*13*5cm</p> <p>Carton Size 38*27*28cm</p> <p>N.G</p> <p>5Kg</p>


Hcg International Limited -Price list- --Solar Charger--

<p>HQ_LM3</p>	<p>10-100pcs:3.88 usd/pc 100-500pcs: 2.65 usd/pc 500-1000pcs: 2.47 usd/pc 1000-5000pcs: 2.29 usd/pc</p>		<p>Led light: 3PCS</p>	
<p>HQ_bds04</p>	<p>10-100pcs:15.88 usd/pc 100-500pcs: 14.12 usd/pc 500-1000pcs: 13.24 usd/pc 1000-5000pcs: 12.88 usd/pc</p>		 <p>Lithium ion polymer battery capacity:3.7V 850mAh Output voltage:5.4V(max) Output current::600ma(max)+solar battery 100ma(max) Charge voltage:solar battery 6V USB/DC 5V Charge current:100ma(max)+500ma(max) Charging time<3 hours Peak power supplied by photocell: 0.61w Weight:100g</p> <p>Operation: 1. Insert iphone in the interface of the iphone sheath.Turn on the iphone sheath power switch to (ON),then charging sheath will charge for iphone, rechargeable volume indicators will be luminous, and I=25% electricity, I,II=50% electricity ,I,II,III=100% electricity . full charge time<3 hours. 2. After iphone is fully charged, please press the sheath power switches to (OFF). 3. Connect USB cable to the computer to charge for silica sheath, with power increasing, indicators will change according to the charging time. 4. Put the production in sufficient sunshine ,solar panel in the sunshine ,turn on the switch to (ON),it will charge for the cell phone directly ,Turn off the switch to (OFF),the electricity will be stored to internal battery automatically ,Under sufficient sunshine ,charging 12 hours will be full. 5. When power indicator is off ,the electricity of internal battery is used up ,It can be charged by method of 3 and 4...</p>	


Hcg International Limited -Price list- --Solar Charger--

HQ_b15	10-100pcs:5.2 9 usd/pc 100-500pcs: 3.18 usd/pc 500-1000pcs: 3.00 usd/pc 1000-5000pcs: 2.82 usd/pc		Led light :5pcs	
--------	--	---	-----------------	--



Hcg International Limited -Price list- --Solar Charger--

<p>HQ_bd24</p>	<p>10-100pcs:12.35 usd/pc 100-500pcs:12.18 usd/pc 500-1000pcs:11.47 usd/pc 1000-5000pcs:11.12 usd/pc</p>	 <p>2424.5*6.4*6.8 AM+FM+SOLAR</p>	<p>Solar energy plank solar energy plank 0.4 Ws 80 MAs Inside place battery specification:3.7V/ 1350MAH Output electric voltage:5.5V 500MA The charger refreshes time for cellular phone:About 120 minutes;(different brand and the cellular phone of model number have few difference) (1)The solar energy gives to place battery to refresh time inside charger:10~15 hour; (2,Use a computer or communicate proper go together with a machine to place battery to refresh time inside charger:7 hour;</p> <p>Three.Special kind function:1.Put this machine in front of the car, Be driving and refreshing, the solar energy refreshes an environmental protection and economizes on energy;</p> <p>2, go together with a car to carry charger, can carry charger to refresh for this machine with the car;</p> <p>3, inside place a high capacity lithium battery, being filled with the electricity can 充 3 above cellular phones;</p> <p>4, go together with a variety to deal with contact, can refresh to the MP3, MP4, digital camera and various cellular phone;</p> <p>5.The double wave band reception has another single wave band reception to provide a choice</p>	<p>ce</p>
----------------	---	---	--	-----------

Hcg International Limited -Price list- --Solar Charger--

<p>HQ_bd32</p>	<p>10-100pcs:5.29 usd/pc 100-500pcs:4.41 usd/pc 500-1000pcs:4.06 usd/pc 1000-5000pcs:3.71 usd/pc</p>		<p>(1) Use a high single slice of 晶硅 of the conversion efficiency, the solar energy conversion efficiency is above up to 16%; (2),Solar panel specification:5.5 Vs/55 mAs; (3),Place high capacity inside charger can refresh battery:1000MAh (4),Output electric voltage:5.5 Vs; (5),Output electric current:550 mAs; (6),The charger refreshes time for cellular phone:About 120 minutes;(different brand and the cellular phone of model number have few difference) (7),The solar energy gives to place battery to refresh time inside charger:10~15 hour; (8),Use a computer or communicate proper go together with a machine to place battery to refresh time inside charger:7 hour;</p>	<p>CE/ROHS CTN:52X39X3 0CM 50PCS N.W/GW: 14KG/12KG</p>
----------------	---	---	---	---

Hcg International Limited -Price list- --Solar Charger--

<p>HQ_4001</p>	<p>10-100pcs:15.00 usd/pc 100-500pcs:13.24 usd/pc 500-1000pcs:11.47 usd/pc 1000-5000pcs:10.06 usd/pc</p>	 <p>100x63x13 mm</p>	<p>LI PO Battery:3.7 4000MAH DC IN 5V 500MA DC OUT: 5.5V 650MA</p>	
<p>HQ_bd10 1(4P charger)</p>	<p>10-100pcs:5.82 usd/pc 100-500pcs:5.03 usd/pc 500-1000pcs:4.94 usd/pc 1000-5000pcs:4.76 usd/pc</p>		<ol style="list-style-type: none"> 1、 High solar energy convert efficiency: over than 15% 2、 Solar energy board: 5.5V/80mA 3、 High capacity build in battery: 1350mAH 4、 Output voltage: 5.5V 5、 Output current: 350-800mA 6、 Charging time: about 2-3hors(the time is a little different for different mobile phone) 7、 To charge the build in battery in the charger using solar energy: 10-15hours 8、 To charge the build in battery in 9.The charger refreshes time for cellular phone:About 120 minutes;(different brand and the cellular phone of model number have few difference) (7),The solar energy gives to place battery to refresh time inside charger:10~15 hour; (8),Use a computer or communicate proper go together with a machine to place battery to refresh time inside charger:7 hour; 	<p>CE/ROHS SIZE:52X38.5 X30CM 50PCS NW/GW 14.5KG/13.5 KG</p>

Hcg International Limited -Price list- --Solar Charger--

				
<p>HQ_bd80 3</p>	<p>10-100pcs:38.82 usd/pc 100-500pcs:32.65 usd/pc 500-1000pcs:31.76 usd/pc 1000-5000pcs:30.88 usd/pc</p>	 <p>size : 140*88*23mm N.G: 200g</p>	<p>It can charge up all kinds of handsets or USB interface digital products under sunshine directly, and also can charge up the devices mentioned above without sunshine through releasing electric energy stored in it. It is convenient for you to take with when you are out on business, on travel, on a long-distance bus or ship, in the fieldwork, etc. It is a portable, environmental-friendly, light-weight, flexible, durable and versatile charging product.</p> <p>Characteristics: Peak power supplied by photocell: 2.0W Operating voltage: 5.5V (max) Charging current: 360mA (max) Battery capacity: 3000mAh Output voltage: (adjustable) Output current: 5.5V*1000mA / 8.4V*1300mA / 12V*800mA (max) Charging time: 8-10 hours (illuminating scope: 100mW /Cm2) 3-4 hours (indoor power: 5V /500mA)</p>	<p>Packing : 25.3*17.4*7CM Carton 52*35.5*37 (cm) 20PCS/KATONG GW/MG: 6.35KG /16.2KG CE/FCC/ROHS</p>

Hcg International Limited -Price list- --Solar Charger--

			<p>Discharging time: 2.5 hours (the output: 5V /500mA)</p>	
<p>HQ_bd13</p>	<p>10-100pcs:19.41 usd/pc 100-500pcs:18.53 usd/pc 500-1000pcs:16.76 usd/pc 1000-5000pcs:15.88 usd/pc</p>		<p>solar panel: Peak power supplied by photocell: 1.8W Operating voltage: 5.5V (max) Charging current: 180mA (max) Battery capacity: 700MAH Output voltage: 5.6V Output current: 600mA (max) Charging time:10-14hrs (Irradiance: 100mW/CM²) Functions:1. Charge for the built-in 700mAh/3.6V NI-MH battery by solar-energy.2. Charge for the built-in 700mAh/3.6V NI-MH battery by external 9V electrical source.3. Three illuminating pattern:1LED lights ; 3LEDs light ; 3LEDs flash. 4. Charge a mobilephone to meet an emergency.5. Charging indicator.Features: 1. Green and environmental friendly: charge by solar energy, no pollution, no waste. 2. Low cost.3. High luminance: The Max. brightness is 65000 Mcd.4. Convenient to use, no exterior batteries are needed.5. Contolled by electric switch, long lifespan.6. Novel, fashionable and exquisite.</p>	<p>CE/ROHS</p>

Hcg International Limited -Price list- --Solar Charger--

<p>Hq_s1</p>	<p>10-100pcs:6.7 1 usd/pc 100-500pcs: 6.18 usd/pc 500-1000pcs: 5.82 usd/pc 1000-5000pcs: 5.65 usd/pc</p>		<p>solar panel: Peak power supplied by photocell: 0.8W Operating voltage: 5.5V (max) Charging current: 80mA (max) Battery capacity: 800MAH Output voltage: 5.6V Output current: 600mA (max) Charging time:10-14hrs (Irradiance: 100mW/CM²)</p>	
<p>HQ_S2 (solar bag)</p>	<p>10-100pcs:67.06 usd/pc 100-500pcs: 61.76 usd/pc 500-1000pcs: 58.24 usd/pc 1000-5000pcs: 56.47 usd/pc</p>		<p>solar panel: Peak power supplied by photocell: 4.5W Operating voltage: 12V (max) Charging current:3 80mA (max) (Battery capacity: 8800MAH 、13200MAH/20000MAH) Output voltage: 5.6V Output current: 600mA (max) Charging time:8-14hrs (Irradiance: 100mW/CM²)</p>	

Hcg International Limited -Price list- --Solar Charger--

	<p>10-100pcs:67.06 usd/pc 100-500pcs:61.76 usd/pc 500-1000pcs:58.24 usd/pc 1000-5000pcs:56.47 usd/pc</p>			
	<p>10-100pcs:2.12 usd/pc 100-500pcs:1.50 usd/pc 500-1000pcs:1.41 usd/pc 1000-5000pcs:1.32 usd/pc</p>			



Hcg International Limited -Price list- --Solar Charger--

<p>HQ_bd13 201</p>	<p>10-100pcs:146 .47 usd/pc 100-500pcs: 135.00 usd/pc 500-1000pcs: 131.47 usd/pc 1000-5000pcs: 120.00 usd/pc</p>			
<p>HQ— D80</p>	<p>10-100pcs:11. 47 usd/pc 100-500pcs: 9.71 usd/pc 500-1000pcs: 9.53 usd/pc 1000-5000pcs: 9.18 usd/pc</p>	<p>D-80 Tool kits</p> 		

Hcg International Limited -Price list- --Solar Charger--

<p>HQ+bd6 1</p>	<p>Sample: ¥5.00/pcs 100pcs ¥3.9.00; /pcs 500pc ¥ 3.8.00; /pcs 1000pcs ¥3.8.00/pcs 3000-5000pcs: ¥3.8.00/pcs</p>			
<p>HQ_bd80 6</p>	<p>Sample: 29usd 10-100pcs:13. 24 usd/pc 100-500pcs: 12.65 usd/pc 500-1000pcs: 11.91 usd/pc 1000-5000pcs: 11.62 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera. Rate solar power: 0.8W Output voltage: 5.5V Battery capacity: 750mAh Output current: 0.18A (max.) Size & Weight: 105*53*18mm, 92g</p>	

Hcg International Limited -Price list- --Solar Charger--

<p>HQ_bd10 1(3.5)</p>	<p>10-100pcs:6.7 1 usd/pc 100-500pcs: 6.18 usd/pc 500-1000pcs: 5.65 usd/pc 1000-5000pcs: 5.29 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera. Rate solar power: 0.3W Output voltage:5.5V Battery capacity: 1350mAh Output current: 0.18A (max.) Size & Weight: 125*53*18mm, 92g</p>	<p>52X38X30CM 50PCS 12.5KG</p>
<p>HQ_bd26 01</p>	<p>10-100pcs:11. 47 usd/pc 100-500pcs: 9.71 usd/pc 500-1000pcs: 9.18 usd/pc 1000-5000pcs: 8.47 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on</p>	

Hcg International Limited -Price list- --Solar Charger--



handset).

Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable).

Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera.

Rate solar power: 0.8W

Output voltage: 3.7/4.2/5.5/9V

Battery capacity: 2600mAh

Output current: 0.18A (max.)

Size & Weight: 125*53*18mm, 92g

LEDLIGHT: ONE BIG



Hcg International Limited -Price list- --Solar Charger--

<p>HQ_bd18 01</p>	<p>10-100pcs:18.53 usd/pc 100-500pcs:16.76 usd/pc 500-1000pcs:16.41 usd/pc 1000-5000pcs:15.35 usd/pc</p>			
<p>HQ_bd18 01</p>	<p>15usd/pc</p>			

Hcg International Limited -Price list- --Solar Charger--


<p>HQ_L11</p>	<p>10-100pcs:8.4 7 usd/pc 100-500pcs: 6.71 usd/pc 500-1000pcs: 6.18 usd/pc 1000-5000pcs: 5.82 usd/pc</p>			
<p>HQ_bd80 24</p>	<p>10-100pcs:9.0 0 usd/pc 100-500pcs: 7.94 usd/pc 500-1000pcs: 7.59 usd/pc 1000-5000pcs: 7.41 usd/pc</p>		<p>Product Feature: Use the sunlight to charge you rmobile phone. The built in lithium battery can be charged bu sunlight, AC adapter, car charger, and store the power. The build in battery can also be used as a charger if no sunlight is available(can provide up to 180 minutes of talk time depending on handset). Suit for the most brands of mobile phones(Sony Ericsson, Nokia, Samsung, Motorola, and the new style cell phones which with USB cable). Can also be charge ipod, audio player, PDA, MP4, MP3, radios, portable CD&DVD, and digital camera. Rate solar power: 0.8W Output voltage: 5.5V Battery capacity: 750mAh Output current: 0.18A (max.) Size & Weight: 105*53*18mm, 92g</p>	

Hcg International Limited -Price list- --Solar Charger--

				
<p>HQ_BS01</p>	<p>10-100pcs:123 .53 usd/pc 100-500pcs: 120.88 usd/pc 500-1000pcs: 117.35 usd/pc 1000-5000pcs: 114.71 usd/pc</p>	 <p>282x205x20mm/ 1000g</p>	<p>Features: Lithium ion polymer Battery capacity: 3.7V 20000 mAh Output voltage : 5V,16V~24V(max) Autput current levels: Can choose 5V(USB 500ma), 16V(4A), 19V(4A), 22V(4A) 24V(4A), Output current: 3000 ma (max) Charge voltage : 100 ~ 240V AC/DC,12~24V DC/DC out 18V± 0.03V (MAX) Charging time: <3 hours Electric eye dimension :235mmx145mm Peak power supplied by photocell: 4.5 W</p>	

HCG International Limited Address: 6/F,Block A, Wenjin Plaza, WenJinBei Rd., Luohu Dist, Shenzhen, China
<http://www.hc-gifts.com> E-mail: hcgltd@126.com MSN: hcglimited@live SKYPE: HcgLimited

Hcg International Limited -Price list- --Solar Charger--

			Material of electric eye multicrystal silicon solar High solar energy convert efficiency: over than >16% Ultrasonic mosquito killer and rat killer: 40~80000HZ auto frequency conversion Available distance of mosquito killer 100 SQFT	
HQ_bd45	<p>1500MAH 10-100pcs:5.2 9 usd/pc 100-500pcs: 4.41 usd/pc 500-1000pcs: 4.24 usd/pc 1000-5000pcs: 4.15 usd/pc</p>		<p>solar panel: Peak power supplied by photocell: 0.4W Operating voltage: 5.5V (max) Charging current: 60mA (max) Battery capacity: 1500MAH/2600mAh Output voltage: 5.6V Output current: 600mA (max) Charging time:10-14hrs (Irradiance: 100mW/CM²) Dimensions: 120*72*15.5mm Case : Fire proof plastic Input interface: DC interface Output interface: USB interface Small LED display: charge or discharge</p>	<p>CE/ROHS 52X39.5X36C M 50PCS NW/GW 14.5/13KG 61X52X38.5C M 100PCS 32KG</p>
	<p>2600MAH Sample: ¥30.00/pcs 100pcs ¥ 28. 50; /pcs 500pc¥27/pcs 1000pcs</p>			

Hcg International Limited -Price list- --Solar Charger--

	¥26.50/pcs 3000-5000pcs: ¥25.00/pcs LOW PRICES: 21.00/PCS		Solar panel: Peak power supplied by photocell: 0.7W Operating voltage: 5.5V (max) Charging current: 140mA (max) Battery capacity: 1500MAH/ 2600 mAh Output voltage: 5.6V Output current: 600mA (max) Charging time: 10-14hrs (Irradiance: 100mW/CM ²) Dimensions: 120*72*15.5mm Case : Fire proof plastic	
	10-100pcs:6 .53 usd/pc 100-500pcs: 5.65 usd/pc 500-1000pcs : 5.47 usd/pc 1000-5000pc s: 5.29 usd/pc			

Hcg International Limited -Price list- --Solar Charger--

2600MAH
 10-100pcs:7.9
 4 usd/pc
 100-500pcs:
 6.71 usd/pc
 500-1000pcs:
 6.53 usd/pc
 1000-5000pcs:
 6.35 usd/pc



Input interface: DC interface
 Output interface: USB interface
 Small LED display: charge or discharge
 LED light: big LED

Hcg International Limited -Price list- --Solar Charger--

Remark: The price is Ex-works Shenzhen, without any freight and tax.

30% of payment should be pre-paid, and the balance needs to be paid off before the delivery within 3 days.

The quotation is available within 14 days.