

HCG International Limited

6/F,Block A, Wenjin Plaza, WenJinBei Rd., Luohu Dist, Shenzhen, China

TEL: 86-755-84739581 FAX: 86-755-25505671


http://www.hc-gifts.com E-mail: sunnyx@126.com MSN: Hcglimited@live.cn SKYPE: HcgLimited




The quote base on Ex-works Shenzhen , before place an order , please contact us.




Sales manager: Tony Sun




2010-10-11-01




Quotation: solar charger1




| Supplier Item No. | Product Photo | Description | Price: FOB SHENZHEN | | | CTN QTY. | Unit size Weight | Meas. *W*H (CM) | Weight | |
|---------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------|---------------------|---------------|-------------------------------|--------------------|---------|---------|
| | | | MOQ:500 | 1K-3K | 3K-5K | | | | NW (KG) | GW (KG) |
| D-TYN88 (with Li battery) |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD)</p> <p>* Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony eericesson T28 and Samsung A288) *Solar panel input:power:0.55w, voltage:5.5v,current:100mA</p> <p>* Charger output: power:0.65w, voltage:5.4v, current:120mA * Li battery capacity:500mah</p> | 11.18usd 76.17rmb | 10usd 68.13rmb | 9.11usd 62.04rmb | 36pcs/ ctn | 88 x 59 x 22 mm, 86g | 39*36*51 .5 | 11.5 | 12.5 |

| | | | | | | | | | | |
|------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------------------------|-------------------------------------------|-----------------------|------------------------------------------|------------------------|-------------|-------------|
| <p>D-TYN89 (with Li battery)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) * Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and Samsung A288) *Solar panel input: power:0.55w, voltage:5.5v,current:100mA * Charger output: power:0.65w, voltage:5.4v, current:120mA * Li battery capacity:580mah</p> | <p>11.18usd 76.17rmb</p> | <p>10usd 68.13rmb</p> | <p>9.11usd 62.04rmb</p> | <p>36pcs/ ctn</p> | <p>99 x 53 x 22 mm, 100g</p> | <p>39*36*51 .5</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN90 (with Li battery, with torch)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) * Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and Samsung A288) *Solar panel input: power:0.50w, voltage:5v,current:100mA * Charger output: power:0.54w, voltage:5.4v, current:100mA * Li battery capacity:480mah</p> | <p>10.33usd 70.39rmb</p> | <p>9.6usd 65.4rmb</p> | <p>8.98usd 61.18rmb</p> | <p>36pcs/ ctn</p> | <p>70*75*2 5mm, 82g</p> | <p>39*36*51 .5</p> | <p>11.5</p> | <p>12.5</p> |
| <p>D-TYN93 (with Li battery, with USB port)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and Samsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel input: power:0.65w, voltage:5.5v,current:130mA * Charger output: power:0.8w, voltage:5.4v,</p> | <p>11.18usd 76.17rmb</p> | <p>10.13usd 69.04rmb</p> | <p>9.23usd 62.9rmb</p> | <p>36pcs/ ctn</p> | <p>105*53* 18mm, 94g</p> | <p>39*36*51 .5</p> | <p>11.5</p> | <p>12.5</p> |




| | | | | | | | | | | |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|-----------------------|------------------------------------|------------------------|------------|------------|
| <p>D-TYN94 (without Li battery with USB port)</p> |  <p>Without Li battery</p> | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) * Standard package including: 1 pc charger and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony ericsson T28 and Samsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. *Solar panel input: power:0.55w, voltage:5.5v,current:100mA * Charger output: power:0.8w,voltage:5.4v,current:150mA</p> | <p>8.35usd 56.89rmb</p> | <p>7.73usd 52.69rmb</p> | <p>7.08usd 48.25rmb</p> | <p>36pcs/ ctn</p> | <p>105*53* 14mm, 68g</p> | <p>39*36*51 .5</p> | <p>7.5</p> | <p>8.5</p> |
| <p>D-TYN91 (with 2000MAH Li battery, torch and two USB ports)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony ericssonT28 and nsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. solar panel:Power:1.1W Voltage:5.5V urrent:200MA * Battery capacity :2000MAH/3.7V</p> | <p>21.94usd 149.46rmb</p> | <p>20.41usd 138.99rmb</p> | <p>18.85usd 128.39rmb</p> | <p>20pcs/ ctn</p> | <p>12.5x81 x24mm, 200g</p> | <p>47*37*32</p> | <p>9</p> | <p>10</p> |
| <p>D-TYN92 (with 1000MAH Li battery, torch and USB port)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger and 4 pcs mobile plugs(Nokia 8210 ,Motorola:V3 ,Sony ericsson T28 and Samsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. solar panel input: power:1.1w, oltage:5.5v,current:200mA Charger output: voltage:5.4v, current:180mA * Li battery capacity:1000mah</p> | <p>20.53usd 139.82rmb</p> | <p>19.07usd 129.9rmb</p> | <p>17.58usd 119.78rmb</p> | <p>20pcs/ ctn</p> | <p>12.5x81 x24mm, 180g</p> | <p>47*37*32</p> | <p>10</p> | <p>11</p> |

| | | | | | | | | | | |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------|-------------------------------------------|-----------------------|-----------------------------------|------------------------|-----------|-----------|
| <p>D-TYN96 (with Li-battery)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile phones(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and nsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel:Power:0.8W Voltage:6V Current:135MA * Battery capacity :750MAH/3.7V</p> | <p>11.18usd 76.17rmb</p> | <p>10usd 68.13rmb</p> | <p>9.11usd 62.04rmb</p> | <p>36pcs/ ctn</p> | <p>13x8.5x 1.4cm, 90g</p> | <p>39*36*51 .5</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN96A (new item with clip, HOT)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile phones(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and nsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel:Power:0.8W Voltage:6V Current:135MA * Battery capacity :750MAH/3.7V</p> | <p>11.61usd 79.07rmb</p> | <p>10.4usd 70.85rmb</p> | <p>9.49usd 64.63rmb</p> | <p>36pcs/ ctn</p> | <p>13x8.5x 1.4cm, 90g</p> | <p>39*36*51 .5</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN96B (with Li-battery)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile phones(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and nsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel:Power:0.8W Voltage:6V Current:135MA * Battery capacity :750MAH/3.7V</p> | <p>11.18usd 76.17rmb</p> | <p>10usd 68.13rmb</p> | <p>9.11usd 62.04rmb</p> | <p>36pcs/ ctn</p> | <p>13x8.5x 1.4cm, 90g</p> | <p>39*36*51 .5</p> | <p>12</p> | <p>13</p> |

| | | | | | | | | | | |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|-----------------------|--------------------------------------------------------|------------------------|-----------|-----------|
| <p>D-TYN96C (with Li-battery)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile phones(Nokia 8210 ,Motorola:V3 ,Sony eericsson T28 and Samsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel:Power:0.8W Voltage:6V Current:135MA * Battery capacity :750MAH/3.7V</p> | <p>11.18usd 76.17rmb</p> | <p>10usd 68.13rmb</p> | <p>9.11usd 62.04rmb</p> | <p>36pcs/ ctn</p> | <p>13x8.5x 1.4cm, 90g</p> | <p>39*36*51 .5</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN97 (with 2000MAH Li battery, torch and two USB ports, HOT)</p> |  | <p>*SOLAR PHONE CHARGER (FOR MOBILE PHONE/MP3 MP4/RADIO/DIGITAL CAMERA/IPOD) Standard package including: 1 pc charger, 1 pc AC adaptor, 1 pc CAR adaptor and 4 pcs mobile phones(Nokia 8210 ,Motorola:V3 ,Sony eericssonT28 and Samsung A288) *With USB output connector, can be used to charge the new style cell phones which with USB connect-line. Solar panel:Power:1.1W Voltage:5.5V Current:200MA * Battery capacity :2000MAH/3.7V</p> | <p>21.94usd 149.46rmb</p> | <p>20.41usd 138.99rmb</p> | <p>18.85usd 128.39rmb</p> | <p>20pcs/ ctn</p> | <p>12.5x81 x24mm, 200g</p> | <p>47*37*32</p> | <p>9</p> | <p>10</p> |
| <p>D-TYN99 (Solar charger sheath for iPhone, NEW + HOT)</p> |  | <p>lithium ion polymer battery capacity:3.7V 2000MAH output voltage:5V (max) output current::500ma (max) charge voltage: solar battery 5.5v /USB DC V charge current:70ma(solar) /500ma(max) (USB/DC) charging time<2 hours(USB/DC) Peak power supplied by photocell: 0.4w</p> | <p>15.85usd 108rmb</p> | <p>14.4usd 98.11rmb</p> | <p>13.28usd 90.48rmb</p> | <p>48pcs/ ctn</p> | <p>Size: 125*64* 25mm Weight: 100g</p> | <p>35*45*35</p> | <p>12</p> | <p>13</p> |

| | | | | | | | | | | |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------|--------------------------------------------|-----------------------|--------------------------------------------------------|-----------------|-----------|-----------|
| <p>D-TYN99A (Solar charger sheath for iPhone, NEW + HOT)</p> |  | <p>thium ion polymer battery capacity:3.7V 000MAH utput voltage:5V (max) utput current::500ma (max) harge voltage: solar battery 5.5v /USB DC V harge current:70ma(solar) /500ma(max) JSB/DC) harging time<2 hours(USB/DC) Peak power supplied by photocell: 0.4w</p> | <p>15.85usd 108rmb</p> | <p>14.4usd 98.11rmb</p> | <p>13.28usd 90.48rmb</p> | <p>48pcs/ ctn</p> | <p>Size: 125*64* 25mm Weight: 100g</p> | <p>35*45*35</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN99B (Solar charger sheath for iPhone, NEW + HOT)</p> |  | <p>thium ion polymer battery capacity:3.7V 000MAH utput voltage:5V (max) utput current::500ma (max) harge voltage: solar battery 5.5v /USB DC V harge current:70ma(solar) /500ma(max) JSB/DC) harging time<2 hours(USB/DC) Peak power supplied by photocell: 0.4w</p> | <p>15.85usd 108rmb</p> | <p>14.4usd 98.11rmb</p> | <p>13.28usd 90.48rmb</p> | <p>48pcs/ ctn</p> | <p>Size: 125*64* 25mm Weight: 100g</p> | <p>35*45*35</p> | <p>12</p> | <p>13</p> |
| <p>D-TYN101 (Solar charger for iPhone, NEW + HOT)</p> |  | <p>thium ion polymer battery capacity:3.7V 000MAH utput voltage:5V (max) utput current::500ma (max) harge voltage: solar battery 5.5v /USB DC V harge current:70ma(solar) /500ma(max) JSB/DC) harging time<2 hours(USB/DC) Peak power supplied by photocell: 0.4w</p> | <p>14.86usd 101.25rmb</p> | <p>13.74usd 93.57rmb</p> | <p>12.65usd 86.17rmb</p> | <p>48pcs/ ctn</p> | <p>130*64* 20mm</p> | <p>35*45*35</p> | <p>12</p> | <p>13</p> |



| | | | | | | | | | | |
|-------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------|-------------------------------------------|-----------------------|--------------------------|--------------------------|------------|------------|
| <p>D-TYN102 (with li battery, Large)</p> |  | <p>Solar battery board:5.5V 140MA. exchange rate :16%. Battery:Brild-in 700mAh Li-battery, Output voltage/electrical urrent:5.5V/450Am, The tine of DC adapter to inside Li tttery:2-3 hours, The time of solar charge to inside Li tttery:4-5 horus</p> | <p>11.61usd 79.07rmb</p> | <p>10.4usd 70.85rmb</p> | <p>9.49usd 64.63rmb</p> | <p>30pcs/ ctn</p> | <p>145*130 *35mm</p> | <p>54*33*30</p> | <p>9</p> | <p>10</p> |
| <p>D-TYN103 (with Li battery, Medium)</p> |  | <p>Solar battery board:5.5V 120MA. exchange rate :16%. Battery:Brild-in 700mAh Li-battery, Output voltage/electrical urrent:5.5V/450Am, The tine of DC adapter to inside Li tttery:2-3 hours, The time of solar charge to inside Li tttery:5-6 horus</p> | <p>11.04usd 75.21rmb</p> | <p>10usd 68.13rmb</p> | <p>9.11usd 62.04rmb</p> | <p>30pcs/ ctn</p> | <p>143*110 *35mm</p> | <p>54*33*30</p> | <p>8</p> | <p>9</p> |
| <p>D-TYN104 (with Li battery, Small)</p> |  | <p>. Solar battery board:5.5V 100MA. exchange rate :16%. . Battery:Brild-in 700mAh Li-battery, . Output voltage/electrical urrent:5.5V/450Am, . The tine of DC adapter to inside Li attery:2-3 hours, . The time of solar charge to inside Li attery:6-7 horus</p> | <p>10.62usd 72.32rmb</p> | <p>9.6usd 65.4rmb</p> | <p>8.6usd 58.59rmb</p> | <p>30pcs/ ctn</p> | <p>136*90* 35mm</p> | <p>50*30.5*2 8.5</p> | <p>7.5</p> | <p>8.5</p> |

